AUTHOR INDEX OF PAPERS PUBLISHED IN VOLUME 57 OF THE JOURNAL AND OF ABSTRACTS OF PAPERS PRESENTED AT THE ANNUAL* MEETING AND THE SOUTHERN[s] DIVISIONAL MEETING OF THE AMERICAN DAIRY SCIENCE ASSOCIATION.

ABILAY, J. P., 140[s]
ADAMS, D. M., 592*
ADAMS, G. D., 654*
ADKINSON, R. W., 133[s]
AGUILAR, R., 626*
AHMAD, M. D., 1225
AHMAD, Z., 1225
AINSLIE, H. R., 712; 1420
AITCHISON, T. E., 611*
AKINYELE, I. O., 630*
AKKERMANS-KRUYSWIJK, J., 556
AKOWUAH, E. S., 689
ALBRIGHT, J. L., 630*; 631*; 643*; 1497
ALFORD, J. A., 583*; 595*; 1438
ALICHANIDIS, E., 1448
ALMQUIST, J. O., 625*; 1211
ALVIS, R. G., 746
AMANN, R. P., 93; 212; 703
ANDERSON, B. A., 156; 786
ANDERSON, H. C., 594*
ANDERSON, J. C., 592*
ANDERSON, M., 399; 1448
ANDERSON, M. E., 998
ANDERSON, M. J., 634*; 811; 1206
ANDERSON, R. R., 605*; 1350
ANDREWS, A. T., 1448
ANGUS, R. C., 1423
APPLEMAN, R. D., 609*; 610*
ARAVE, C. W., 629*; 1497
ARGOUDELIS, C. J., 602*
ARMSTRONG, D. V., 369; 610*
ARNOLD, R. G., 593*
ARROYO-AGUILU, J. A., 621*; 652*
ASAN, T., 137[s]
ASAY, K. H., 619*
ASHER, Y. J., 137[s]
ASHWORTH, U. S., 992
ATKESON, G. W., 616*
AUTREY, K. M., 132[s]

BABEL, F. J., 580*; 643*
BABLER, C. B., 627*
BACHMAN, K. C., 139[s]; 143[s]; 601*; 639*
BAILE, C. A., 68; 81; 308; 608*; 627*; 826; 878
BAKEL, J. T., 584*
BALDWIN, K. A., 181; 579*
BALDWIN, R. L., 605*; 1055
BARACH, J. T., 592*
BARGELOH, J. F., 623*
BARKER, B. O., 649*
BARNETT, L. B., 41
BARR, G. R., 142[s]
BARRETT, J. E., JR., 143[s]
BARRINGTON, G. P., 618*
BARTLEY, E. E., 588*
BASCH, J. J., 545
BASSETTE, R., 285; 588*; 599*
BATH, D. L., 198; 610*
BATRA, T. R., 323; 615*; 842; 1221; 1334
BATSON, D. B., 136[s]
BAUMAN, D. E., 719
BAUMRUCKER, C. R., 24; 603*
BAXTER, H. D., 142[s]
BEARDEN, B. J., 144[s]
BEARDSLEY, G. L., 319; 634*; 636*; 1061; 1511
BEATTY, J. F., 137[s]
BECK, N. F. G., 604*
BECK, R. L., 746
BECK, T. W., 608*
BECKETT, D., 598*
BEHRENS, G. C., 650*
BEITZ, D. C., 49; 606*; 1184
BELL, L. I., 587*
BELL, M. C., 133[s]
BEN-ASHER, A., 567
BENNETT, S. E., 145[s]
BERETTA, G., 1504
BERGEN, W. G., 1024
BERGER, P. J., 616*
BERLIN, E., 786
BERNDTSON, W. E., 1287
BERROCAL, C. M., 621*
BERZINS, R., 606*
BEYEA, J. S., 68
BIANCHI, A., 1504
BIBB, T. L., 133[s]
BICKERT, W. G., 369
BIEDE, S. L., 597*
BIERLY, S., 136[s]
BINGHAM, E. W., 603*
BITMAN, J., 607*; 652*
BIXBY, H. H., 595*
BLACKMON, D. M., 624* 1177
BLAIS, J. A., 598*
BLANC, B., 387
BLOOMFIELD, V. A., 394
BODENHAUSEN, D. W., 653*
BODINE, A. B., 138[s]; 260
BODYFELT, F. W., 592*; 595*
BOHNEL, H., 707
BOMAN, R. L., 635*
BOTTS, R. L., 135[s]
BOUCHARD, R., 640*
BOULET, M., 598*
BOWMAN, M. C., 1467
BOYD, L. J., 628*
BRADY, W. E., 625*
BRADLEY, R. L., JR., 587*
BRANDT, G. W., 220; 1388
BRANNON, C. C., 1388
BRANTON, C., 833
BRAUD, H. J., 609*
BRAY, D. R., 644*
BRINGE, A. N., 677
BRISSON, G. J., 640*
BRITT, D. G., 420
BRITT, J. H., 89; 628*; 1092
BROCECK, J. R., 608*
BRODERICK, G. A., 1015
BROOKER, B. E., 1448
BROOKER, D. B., 998
BROWER, D. P., 598*
BROWN, L. D., 459; 463
BROWN, R. W., 797
BROWN, W. H., 609*
BRUHN, J. C., 588*
BRUMBY, P. E., 61; 1046
BRUNNER, J. R., 523; 528; 601*
BRYANT, M. P., 1003
BUCHANAN-SMITH, J. G., 619*
BUDOWSKI, P., 56
BUFFINGTON, D. E., 304
BUFFINGTON, R. E., 611*
BULL, L. S., 472
BURKHART, D. J., 49
BURNSIDE, E. B., 100; 251; 613*; 614*; 615*; 617*; 1221; 1334; 1394
BURTON, J. H., 602*
BUSH, L. J., 654*
BYRNE, W. F., 193

CALISLAR, T., 1263
CAMOENS, J. K., 648*
CAMPBELL, E. C., 594*
CANFIELD, R. V., 629*
CANNON, R. Y., 138[s]
CARDWELL, J. T., 137[s]
CARPENTER, D., 1196
CASERIO, G., 1504
CASIDA, L. E., 346
CASMAN, E. A., 643*
CESTERO, H., 621*; 652*
CHAKRIYARAT, S., 636*

Chandler, P. T., 604*; 633*
Chang, R. R., 1309
Chaudhari, R. V., 860
Cheng, W. S., 586*; 1502
Cheryan, M., 590*
Chudgar, A., 394
Chyr, S. C., 616*
Clark, J. H., 1031
Clark, J. L., 1350
Clark, M. A., 637*
Clarke, R. T. J., 753
Clifton, C. M., 588*; 618*
Clow, W. J., 617*
Collins, E. B., 1428
Conetta, A., 593*
Conlin, B. J., 377
Conrad, H. R., 623*; 641*
Convey, E. M., 607*; 608*; 905
Cooney, C. M., 600*
Coppock, C. E., 621*; 622*; 712; 926; 1371
Coughlin, J. R., 583*
Cousin, M. A., 580*
Covacevich, H. R., 596*
Cox, S., 601*
Cragle, R. G., 41
Crawford, F. M., 138[8]
Creamer, L. K., 341
Creegan, M. E., 611*
Crickenberger, R. G., 632*; 635*
Crowl, B. W., 643*
Crowley, J. W., 631*
Cuitun, L. L., 650*
Culvahouse, E. W., 142[8]
Cummings, K. R., 136[8]
Custer, E. W., 132[8]; 138[8]

Daniel, T. C., 1423
Daniels, L. B., 144[8]; 1196
Das, N. K., 579*
Dash, S. K., 314; 434
Dave, B. K., 626*
Davenport, D. G., 139[8]
Davis, A. V., 631*
Davis, C. L., 602*; 1031
Day, B. N., 1090
Daynard, T. B., 617*
Dayton, A. D., 427; 430; 482; 593*; 643*; 1401
Deane, D. D., 596*
Deb, R. N., 884; 889
Dell, W. J., 588*
DeLuca, H. F., 606*; 677
Demott, B. J., 121
Dennis, R. J., 625*
Dennis, S. M., 1401
Derbyshire, J. C., 142[8]; 652*
DeVerna, J. C., Jr., 637*
DeVilbiss, E. D., 258, 849
Devore, A. L., 629*
DeWaard, G. J., 599*
Dewan, R. K., 394
DeYoung, D. W., 625*
Dickerson, R. W., Jr., 1
Dickey, J. F., 134[8]; 136[8]
Dickinson, F. N., 614*; 615*; 648*; 977; 1076; 1234
Dickson, D. P., 640*
Dill, C. W., 129, 1164
Dimick, P. S., 290
Doak, G. A., 625*
Dobson, R. C., 985
Dodd, J. P., 639*
Doherty, D. G., 41
Dolan, E. T., 596*
Douglas, F. W., Jr., 652*
Douglass, L. W., 472, 617*
Dowlen, H. H., 136[8]; 140[8]; 145[8]
Dragland, R. W., 140[8]
Dryden, L. P., 607*
Duersch, J. W., 590*
Dunkley, W. L., 585*
Duthie, A. H., 587*
Dutton, R. E., 642*

Edgerton, L. A., 627*
Edmondson, L. F., 652*
Eigel, W. N., 599*; 1444
Ellicott, A. R., 134[8]
Elliker, P. R., 165; 582*
Elliott, J. A., 535; 1432
Ellis, R. P., 636*
El-Negoumy, A. M., 1170; 1302
Emery, R. S., 459; 463; 869; 1024
Emmons, D. L., 590*; 594*; 598*; 650*
Engelstad, W. E., 650*; 651*
Erb, R. E., 636*; 637*
Erfle, J. D., 632*; 671
Ernstrom, C. A., 590*
Erwin, R. E., 15; 865
Etgen, W. M., 1474
Evans, D. L., 134[8]; 609*; 833
Evans, E., 619*
Evans, J. L., 623*
Everett, R. W., 644*; 712; 972; 1420
Everson, R. A., 631*

Farmer, R. E., 582*
Farrell, H. M., Jr., 603*
Farthing, B. R., 833
Feldman, L. I., 591*
Ferguson, L. C., 645*; 646*
Ferris, T. A., 641*
Fischer, J. R., 998
Fisher, G. R., 637*
Fisher, L. J., 632*; 633*; 671
Flux, D. S., 344
Flynn, C. J., 142[8]; 144[8]
Flynn, M. F., 142[8]
Foda, E. A., 1137
Forbes, J. M., 68; 81; 826; 878
Forsum, E., 659; 665
Fosgate, O. T., 588*; 618*
Fouts, E. L., 639*
Fowler, M. A., 651*
Fowler, P. R., 618*
Franke, A. A., 588*
Fredriksson, W. B., 304
Freeman, A. E., 105; 615*; 616*; 649*; 1067; 1228
Freeman, M. G., 251; 439; 613*; 615; 617*; 1221
Fribourg, H. A., 698
Friedrich, F. L., 651*
Friend, T. H., 1214
Fuquay, J. W., 132[8], 609*

Galal, M. K., 132[8]
Gall, G. A. E., 198
Ganjam, V. K., 604*
Garner, G. B., 1385
Garverick, H. A., 1090
Gau, A. M., 1325
Gaunt, S. N., 628*
Gebert, J. R., 641*
Gelda, C. S., 586*; 1502
Gianola, D., 235
Gentry, R. P., 624*; 1177
Gibbs, H. C., 645*
Gillette, D. D., 476
Gillis, W., 138[8]
Giolitti, G., 1504
Giroux, R. N., 590*; 598*
Glascock, R. F., 1364
Gobble, J. L., 884; 889
Goble, G. S., 588*
Goering, H. K., 621*
Goings, R. L., 1184
Gomila, L. F., 141[8]; 609*
Goodenough, E. R., 582*
Gordin, S., 127
Gorewit, R. C., 605*
Gottfried, D. G., 639*
Grace, W. R., 579*
Graham, D. M., 738
Grant, R. J., 1201
Grantham, J. A., 1483
Graves, C. N., 626*
Graziano, J. H., 32
Griel, L. C., Jr., 93; 212
Grieve, D. G., 439; 633*
Grimes, H. W., Jr., 136[8]

GROSVENOR, C. E., 900
GROUX, M., 153
GROVUM, W. L., 608*
GRUBAUGH, W. R., 695
GRUNDAHL, M. L., 618*
GUPTA, S. K., 540
GUTHRIE, L. D., 140[8]
GWAZDAUSKAS, F. C., 304; 627*
GYURICSEK, D. M., 584*, 1152

HACKER, R. R., 635*; 1334
HAENLEIN, G. F. W., 405
HALE, W. H., 650*
HALL, A. J., 61; 1046
HAMBRAEUS, L., 659
HAMMOND, E. G., 597*; 1137; 1254
HANSARD, S. L., 140[8]
HANSEN, A. P., 280; 594*; 599*; 600*; 602*
HARDIE, A. R., 640*
HARGROVE, G. L., 328; 884; 889
HARGROVE, R. E., 583*; 652*; 1438
HARMON, R. J., 645*; 646*
HARNESS, J. R., 605*
HARPER, A. E., 1015
HARPER, W. J., 594*
HARRISON, D. S., 628*
HARSHBARGER, K. E., 629*
HARTSFIELD, S. N., 1164
HATFIELD, E. E., 1031
HATHCOCK, B., 142[8]
HAWK, H. W., 627*
HAWKINS, G. E., 135[8]; 623*
HAWS, L. D., 145[8]
HEAD, H. H., 304; 636*
HEAD, M. K., 594*
HEALD, C. W., 134[8]; 917
HELLWIG, R. E., 143[8]
HEMKEN, R. W., 472; 625*
HENDERSON, C. R., 613*; 614*; 963
HENDERSON, H. E., 263; 617*; 632*; 635*
HENRICKS, D. M., 136[8]
HERRING, V., 443
HESS, G. S., 689
HIBBS, J. W., 623*; 641*
HILDERBRAND, E. S., 619*
HILL, D. L., 630*
HINES, H. C., 405
HODGSON, R. E., 638*
HOFF, J. E., 1085
HOFFMAN, W. F., 627*
HOLICK, M. F., 606*
HOLLIDAY, E., 134[8]
HOLLON, B. F., 220; 648*
HOLSINGER, V. H., 258; 849
HOLTER, J. B., 205; 618*
HOOVEN, N. W., JR., 140[8]; 1355
HOPPER, W. M., 698
HORBAL, H., 584*
HORST, R. L., 606*; 683
HOSONO, A., 535; 1432
HOTCHKISS, D. K., 1137
HOWE, J. E., 134[8]
HUBER, J. T., 263; 420; 617*; 635*; 642*; 869; 1024
HUGGINS, L. F., 610*
HUNT, M. S., 251
HUNTER, A. G., 627*
HUNTER, R. B., 617*
HUSTON, K., 1401
HUTJENS, M. F., 611*
HYDE, G. M., 629*

IBRAHIM, E. A., 629*; 633*
INGALLS, J. R., 651*
INGLE, D. L., 719
INGRAHAM, R. H., 476
IRVINE, D. M., 598*
ISAAC, R. A., 587*
ISAACSON, H. R., 1003

JACOBSON, D. R., 625*
JACOBSON, N. L., 49; 611*; 1184
JAHN, E., 633*
JAMES, R. E., 133[8]
JANZEN, J. J., 138[8]; 260
JAYNES, H. O., 137[8]; 139[8]
JELEN, P., 584*
JENNESS, R., 1325
JENSEN, E. L., 619*; 648*
JOHN, A., 1003
JOHNS, W., III, 618*
JOHNSON, D. G., 616*; 642*; 646*; 653*
JOHNSON, J. C., JR., 143[8]; 144[8]; 220; 1467
JOHNSON, L. P., 648*
JOHNSON, V. W., 61
JOHNSON, W. C., JR., 587*
JOHNSTON, W. E., 1388
JOKINEN, M. P., 612*
JOLLY, R. C., 596*; 597*
JONES, G. M., 633*
JONES, R. L., 1467
JONES, S. B., 545
JONES, V. A., 280
JORGENSEN, N. A., 606*; 618*; 631*; 677; 683; 933
JOSEPHSON, R. V., 583*
JULIEN, W. E., 1385

KAKADE, M. L., 650*; 651*
KALAB, M., 594*; 601*
KALAN, E. B., 545
KALDOR, I., 339
KAPPEL, L. C., 485
KAVANAUGH, J. F., 93
KAYLOR, L., 601*
KEENAN, T. W., 24; 187; 603*
KEENEY, M., 143[8]
KELLER, B., 174
KELLER, P., 127
KELLOGG, D. W., 612*
KENWARD, J. A., 637*
KEOWN, J. F., 245; 614*; 615*; 977
KESLER, E. M., 1381
KEYS, J. E., JR., 618*
KHALEEL, S. A., 604*
KILARA, A., 579*; 592*
KILGOUR, R., 631*
KILLIAN, G. J., 703
KING, C. C., JR., 136[8]
KING, G. J., 112; 562; 625*; 626*
KINGSBURY, W., 81
KITTOK, R. J., 89
KIYOSAWA, I., 1159
KLEYN, D. H., 582*
KLIEWER, R. H., 1483
KNOX, F. E., 1467
KONTSON, A., 586*; 1143; 1149
KOONCE, K. L., 134[8]; 609*; 833
KOPROWSKI, J. A., 1092
KOSIKOWSKI, F. V., 488; 596*; 597*
KRATZ, J. L., 140[8]
KRIEDER, D., 1196
KRISTOFFERSON, T., 600*
KROGER, M., 589*
KUBIK, D. J., 609*; 610*
KULKARNI, S. M., 593*
KURTZ, F. E., 1143

LABEN, R. C., 443
LACLAIR, F. A., 584*
LACROIX, D. E., 595*
LADUE, V. R., 648*
LAMB, R. C., 629*; 649*; 811; 1206
LANE, G. T., 135[8]; 1164
LANGSRUDT, T., 597*
LANKHORST, A., 556
LARMOND, E., 598*
LARSEN, H. J., 619*
LARSON, B. L., 604*; 1410
LASSITER, J. W., 624*
LATHAM, M. J., 803
LAUCK, R. M., 585*
LAUDERDALE, J. W., 348
LAZAREVIC, L., 616*

LEAHEY, J. M., 205
LEAMY, W. P., 639*
LEE, A. J., 332
LEE, C. R., 594*
LEE, D. D., JR., 651*
LEE, E. C., 590*
LEE, J. A., 137[S]
LEIGHTON, R. E., 135[S]
LEIPOLD, H. W., 1401
LEUCK, D. B., 1467
LICHTENWALNER, R. E., 263; 1024
LILLIE, J. H., 643*
LIM, S. G., 1320
LINDAHL, I. L., 621*
LINDSEY, T. O., 623*
LISTER, E. E., 629*; 650*
LITTLE, J. A., 132[S]; 143[S]
LITTLEDIKE, E. T., 1184
LOEWENSTEIN, M., 137[S]; 587*; 588*; 1309
LOH, T. T., 339
LONG, P. P., 723
LONGMIRE, D. B., 143[S]
LOPEZ-ALBERTY, J. C., 621*
LOUGH, O. G., 610*
LOUIS, S. L., 605*
LU, M. H., 1350
LUDENS, F. C., 636*; 1061
LUICK, J. R., 1325
LUSCHER, M., 387
LUSK, J. W., 135[S]
LUSZCZ, L. J., 260
LUYT, L. J., 586*
LYKE, W. A., 141[S]; 193
LYNCH, G. P., 583*; 652*

MACLEOD, G. K., 439; 615*; 619*; 633*
MACPHERSON, J. W., 625*; 626*
MACRAE, H. F., 645*
MAJESKIE, L., 638*
MALIK, A. C., 591*
MALIK, S. S., 645*
MALVEN, P. V., 411
MANGINO, M. E., 601*
MANNS, J. G., 606*
MAO, I. L., 100; 241; 646*; 647*
MARINOV, P., 707
MARQUARDT, J. P., 606*
MARSHALL, R. T., 998
MARSHALL, S. P., 134[S]; 632*
MARTH, E. H., 580*; 581*
MARTIN, F. G., 133[S]
MARTIN, F. H., 68; 81; 308
MARTIN, J. H., 582*; 1309
MARTZ, F. A., 619*; 622*; 1385
MARX, G. D., 620*
MATHER, E. C., 1090
MATHER, R. E., 405
MATTINGLY, W. A., 595*; 1438
MATTOS, W., 1050
MAXCY, R. B., 593*
MCBURNEY, R. E., 1090
MCCAFFREE, J. D., 1420
MCCARTHY, R. D., 139[S]; 603
MCCASKEY, T. A., 132[S]; 144[S]
MCCORMICK, W. C., 143[S]; 144[S]
MCCOY, G. C., 642*; 651*; 1260
MCDANIEL, B. T., 112; 220; 562; 614*; 951; 1076; 1234; 1420
MCDANIEL, N. R., 143[S]
MCDONOUGH, F. E., 583*; 1438
MCDOWELL, R. E., 220; 621*; 648*; 652*; 1201
MCGEE, W. H., 132[S]
MCGILLIARD, A. D., 608*; 689; 1189
MCGILLIARD, L. D., 459
MCGILLIARD, M. L., 615*
MCGUFFEY, R. K., 607*
MCGUGAN, W. A., 535
MCKAY, L. L., 181; 579*; 580*
MCLAURIN, W. J., 134[S]
MCMURTRY, J. P., 411
MCNABB, L., 140[S]; 141[S]
MEADOWS, C. E., 611*; 626*; 628*; 646*; 647*
MEHTA, R. S., 285, 588*
MELLENBERGER, R. W., 719
MELO, T. S., 600*
MENEAR, J., 621*
MERCER, H. D., 944
MERTENS, D. R., 622*
MESSER, R. G., 612*
METZ, S. W., 621*
MICKELSEN, C. H., 629*; 811; 1206
MICKELSEN, R., 589*; 593*; 643*
MICKETTS, R., 273
MIDDLETON, T. R., 619*
MIKOLAJCIK, E. M., 600*
MILKOVIC, S., 36
MILLER, C. C., 645*
MILLER, C. N., 1474
MILLER, D. D., 612*
MILLER, E. C., 620*
MILLER, G. E., 612*
MILLER, J. K., 133[S]; 141[S]; 193
MILLER, J. R., 589*; 600*
MILLER, R., 156
MILLER, R. H., 611*; 613*; 645*; 1355; 1489
MILLER, R. W., 723
MILLER, W. J., 132[S]; 624*; 1177
MITCHELL, J. G., 642*
MODLER, H. W., 523; 528
MOE, P. W., 451
MOELLER, N. J., 610*; 630*
MOHAMMED, M. E., 589*
MOLLETT, T. A., 636*
MONK, E. L., 636*
MONSON, W. G., 144[S]
MONTGOMERY, M. J., 142[S]; 143[S]; 144[S]; 698
MOON, N. J., 581*
MOORE, C. L., 631*
MOORE, E. D., 136[S]; 140[S]; 145[S]; 1355
MOORE, E. E., 160; 1315
MOORE, J. E., 1258
MORISI, F., 269
MORR, C. V., 394; 584*; 600*; 793
MORRILL, J. L., 427; 430; 482; 643*
MORRIS, H. A., 580*; 584*; 592*; 600*
MORROW, D. A., 89
MOSS, B. R., 141[S]; 193
MOTT, G. O., 1258
MULL, L. E., 138[S]; 579*; 581*
MULLER, L. D., 314; 319; 434; 634*; 636*; 641*; 725; 1061; 1511
MULLIN, W. J., 9
MULLORD, M., 631*
MURPHREE, R. L., 136[S]
MURPHY, J. M., 653*
MURPHY, M. F., 585*
MURRILL, F. D., 1282
MURTHY, G. K., 601*

NAGASWA, T., 1159
NARENDRAN, R., 635*; 1334
NATZKE, R. P., 643*; 644*; 712; 944
NEAL, F. C., 636*
NEATHERY, M. W., 624*; 1177
NELSON, D. K., 611*; 630*
NELSON, D. W., 610*
NELSON, J. H., 598*; 639*
NEWSTEAD, D. F., 344
NICHOLSON, H. H., 615*
NICKERSON, T. A., 160; 583*; 1315; 1320
NILSON, K. M., 584*; 634*; 639*
NOLLER, C. H., 621*; 622*; 1371
NORMAN, A. W., 604*
NORMAN, H. D., 614*; 647*; 955; 977; 1076; 1234
NYE, J. C., 610*

ODELL, G. V., 654*
OLALOKU, E. A., 620*

Olds, D., 141[S]; 626*
Oleson, T. G., 598*
Olson, C. C., 638*
Olson, H. H., 642*; 695; 1260
Olson, N. F., 174; 273; 590*; 595*
Olson, W. G., 677
Oltenacu, P. A., 894, 1245
Olver, E. F., 629*
Otchere, E. O., 608*; 1189
Otterby, D. E., 642*; 653*
Overton, J. R., 698
Owen, J. R., 140[S]; 142[S]; 145[S]
Owens, F. N., 653*
Owens, M. J., 319; 725; 1061
Oxender, W. D., 642*; 1092
Oyenuga, V. A., 620*
Ozegovic, B., 36

Paape, M. J., 613*; 645*
Padgitt, D. D., 653*
Pallansch, M. J., 156; 258
Palmquist, D. L., 1050
Palubicki, S. J., 627*
Panzer, G. C., 1256
Park, C. S., 604*
Park, J. R., 121
Parra, R., 622*
Parsons, J. G., 587*
Pastore, M., 269
Patel, A., 587*
Patton, S., 603*
Payne, C. G., 619*
Pearson, R. E., 611*; 630*
Pennington, J. A., 602*
Pensiripun, K., 594*
Perkins, J. L., 1196
Perry, T. W., 1508
Pfander, W. H., 485
Pickett, B. W., 1287
Pieper, J. R., 612*
Pike, T. L., 613*
Pilkhane, S. V., 138[S]; 581*
Pirmohamed, D. L., 586*
Plog, J., 642*
Pocurull, D. W., 944
Poe, W. E., 609*
Polan, C. E., 133[S]; 1214; 1474
Pollak, E. J., 649*
Polzin, H. W., 642*
Poos, M. I., 652*
Posati, L. P., 258, 849, 1438
Postle, D. S., 643*; 644*; 944
Pothoven, M. A., 606*
Powell, R. L., 614*; 647*; 1067; 1228
Priest, P. N., 631*
Prins, R. A., 556
Puckett, H. B., 629*

Qureshi, A. W., 1225

Rakes, J. M., 144[S]
Randall, W. E., 472
Randel, P. F., 134[S]; 632*
Randolph, H. E., 15; 19; 551; 599*; 865; 1444
Rao, D. R., 604*
Raphael, B. H., 603*
Read, R. B., Jr., 1
Reddy, C. A., 632*; 635*
Reddy, G. V., 582*
Reddy, M. S., 124; 581*
Reece, R. P., 32
Reeves, C. B., 589*
Reid, C. S. W., 753
Reinbold, G. W., 124; 581*; 597*; 1137; 1254
Reineccius, G. A., 599*; 793
Reiser, B., 590*
Rembolt, M. S., 586*
Rennie, J. C., 1221
Rexroad, C. E., Jr., 346
Reynolds, M., 604*
Rhynes, W. F., 613*; 645*
Richardson, D. O., 136[S]; 140[S]; 145[S]
Richardson, G. H., 594*; 860
Richardson, T., 174; 590*
Richert, S. H., 600*
Richter, R. L., 15; 138[S]; 793
Rindsig, R. B., 1037; 1414; 1459
Rios, G., 833
Rivera-Anaya, J. D., 621*; 648*
Rizvi, S. S. H., 583*
Robb, J. G., 443
Robertson, J. B., 621*; 622*
Robinson, J. L., 1410
Robles, A. Y., 622*
Rock, C. G., 1474
Rodriguez, D., 634*; 641*
Roettger, L. W., 649*
Roffler, R. E., 631*
Roh, J. K., 587*
Rollins, G. H., 136[S]
Rollins, L. D., 944
Roman, F., 621*
Roman, J., 133[S]
Roman-Ponce, H., 632*
Ronning, M., 198
Rose, W. M., 612*
Roussel, J. D., 133[S]; 137[S]; 140[S]; 141[S]; 609*
Ruegg, M., 387
Ruiz, E. L., 998
Rusoff, L. L., 134[S]; 729
Russell, J. R., 618*

Sandine, W. E., 165; 582*
Santos, K. A. S., 1260
Sasser, L. B., 133[S]
Satter, L. D., 631*; 632*; 1015
Satterlee, D. G., 133[S]; 609*
Sauer, F. D., 671
Scanlon, P. F., 628*
Schaeffer, L. R., 613*; 614*; 615*; 1394
Schafer, H. W., 595*
Schanbacher, F. L., 296; 636*; 637*; 645*; 646*
Schields, L., 142[S]
Schingoethe, D. J., 314; 319; 434; 634*; 1511
Schmidt, G. H., 637*
Schmidt, R. H., 580*
Schmidt, S. P., 689
Schmitt, D. L., 1090
Schneider, H. J., Jr., 141[S]
Schoppet, E. F., 1256
Schuh, J. D., 608*; 641*; 650*
Schultz, D. L., 992
Schultz, L. H., 606*; 677; 729; 1037; 1341; 1414; 1459
Schultze, W. D., 643*; 644*
Schurman, E. W., 1381
Schwab, C. G., 631*; 632*
Schwalm, J. W., 606*
Schwartz, D. P., 1083
Sears, P. M., 613*
Seas, S. W., 586*
Seguin, B. E., 89
Segura, E. T., 133[S]
Seiberling, D. A., 589*; 593*
Senyk, G. F., 590*
Shahani, K. M., 579*; 582*; 592
Shama, K., 599*
Sharma, K. K., 19; 551
Sharpe, M. E., 803
Shipe, W. F., 590*
Shook, G. E., 640*; 648*
Siddiqi, I. H., 659
Sikes, J. D., 625*
Simpson, C. W., 68
Sims, J. A., 630*
Sinclair, C. L., 1497
Sinha, D. P., 600*
Sinnamon, H. I., 1256
Siribunrit, V., 585*
Sklan, D., 56; 127
Slater, W. L., 600*
Smith, A. M., 634*
Smith, J. C., 609*
Smith, J. W., 145[S]; 1355
Smith, K. L., 138[S]; 296; 579*; 581*; 636*; 637*; 645*; 646*
Smith, L. A., 136[S]; 144[S]
Smith, N. E., 1055
Smith, V. G., 608*
Snyder, A. C., 641*; 650*
Soldevila, M., 621*

Somade, B., 625*
Somkuti, G. A., 591*; 898
Spahr, S. L., 630*; 649*
Speck, M. L., 592*
Speck, S. J., 137[S]
Speckman, C. A., 165; 582*
Speckman, R. A., 1428
Speicher, J. A., 369
Spencer, S. B., 638*
Spiegel, R. E., 135[S]
Spurgeon, K. R., 586*
Stake, P. E., 132[S]; 624*; 1177
Stallcup, O. T., 142[S]; 144[S]; 624*
Stanley, D. W., 590*
St. Clair, L. E., 1263
Stemberger, B. H., 603*
Stephens, C., 633*
Stevernagel, G. R., 611*; 646*
Stevenson, K. R., 653*
Stine, C. M., 523; 528
Stoddard, G. E., 811
Stone, J. B., 602*; 617*; 629*; 633*; 653*
Stone, W. K., 585*
Storry, J. E., 61; 1046
Stott, G. H., 610*
Struss, H. E., 637*
Stull, J. W., 1423
Sullivan, J. E., 653*
Sutton, A. L., 610*
Sutton, C., 586*
Sutton, J. D., 803
Svejda, A. J., 629*
Swaisgood, H. E., 602*
Swanson, A. M., 586*; 591*; 595*
Swanson, E. W., 141[S]; 193
Swart, W. W., 609*
Swartz, A. N., 1423
Swenson, P. E., 290, 582*

Takase, M., 1159
Talley, F. B., 1256
Tamsma, A., 586*; 1143; 1149
Taylor, R. R., 1423
Tenpas, G. H., 619*
Tessema, S., 621*
Thatcher, W. W., 140[S]; 304; 360; 627*; 636*
Thoele, H. W., 884; 889
Thomas, E. L., 594*; 599*
Thomas, J. W., 459; 463; 607*; 619*; 641*; 650*
Thompson, M. P., 584*; 598*
Thompson, P. D., 613*; 644*; 1489
Thompson, R. M., 650*; 651*
Thompson, T. L., 580*; 581*
Thunpithayakul, C., 580*
Tinnimit, P., 650*
Toan, T. T., 579*
Tobias, J., 602*
Tomaszewski, M. A., 614*; 1076
Toms, J., 304
Tonroy, B. R., 1508
Touchberry, R. W., 323; 646*; 842
Townend, R., 1152
Trojanor, J. J., 1350
True, L. C., 137[S]
Tucker, H. A., 604*; 605*; 607*; 1092
Tucker, W. L., 649*; 1061
Tuckey, S. L., 540
Tuckley, B., 1046
Tugwell, D., 1196
Tung, S., 405
Turner, L. G., 280; 602*
Tyler, W. J., 235; 346
Tyrrell, H. F., 451

Uden, P., 622*
Ufford, G. R., 614*; 615*
Urban, W. E., Jr., 205

Vandersall, J. H., 617*
Van Horn, H. H., 134[S]; 632*
Van Soest, P. J., 621*; 622*; 652*; 1201
Van Vleck, L. D., 220; 614*; 647*; 648*
Van Vugt, F., 556
Vasavada, K. C., 137[S]
Vedamuthu, E. R., 124
Velasco, J. A., 220
Vercellotti, J. R., 41
Verdaris, J. N., 623*
Vestal, J. H., 595*
Vettel, H. E., 652*
Viglia, A., 269
Vik-Mo, L., 869, 1024
Vines, D. T., 607*
Vinson, W. E., 105; 647*; 1483
Voelker, H. H., 314, 434, 649*
Voglmayr, J. K., 93
Vogt, J. R., 619*
Volcani, R., 567
Von Gunten, R. L., 654*

Wagner, D. L., 1278
Wagner, W. C., 354
Wagner, W. D., 476
Waite, L. G., 977
Waldo, D. R., 618*; 811
Walker, H. G., Jr., 443
Wallenius, R. W., 624*
Wandeck, F. A., 596*
Ward, G., 285; 985
Ward, G. E., 1341
Warren, W. P., 619*
Washam, C. J., 124
Wasserstein, P. B., 591*
Weaver, J. C., 589*
Webb, D. W., 140[S]
Webb, J. K., 639*
Webb, R. L., 81
Wegner, T. N., 608*; 641*
Weihrauch, J. L., 1083
Welch, J. G., 634*
Welch, V. A., 1364
Welchert, W. T., 610*
Weyant, J. R., 607*
Wheeler, W. E., 621*; 622*
Whitchurch, R. E., 624*
White, C. H., 132[S]; 137[S]; 1309
White, J. D., 587*
White, J. M., 647*; 1267; 1483
White, R. G., 1325
White, R. W., 643*
Whitney, R. M., 540
Whittlestone, W. G., 631*
Whitworth, N., 900
Wichtel, H., 639*
Wiggers, K. D., 611*; 1184
Wiggin, H. B., 625*
Wiktorsson, H., 629*
Wilcox, C. J., 133[S]; 134[S]; 140[S]; 304; 601*; 627*; 632*; 636*; 639*
Wilcox, G. E., 1085
Wilkinson, J. M., 617*
Willett, L. B., 636*; 637*; 816
Williams, M., 1385
Wilton, J. W., 100; 251; 1221
Windau, T. D., 1
Wing, J. M., 134[S]
Wiscombe, R. L., 634*; 1206
Wolfe, F. H., 9
Wolfe, S. A., 1371
Wong, N. P., 595*
Wondolowski, M. V., 545
Wood, D. L., 607*
Wood, F. W., 585*
Woodward, R. S., 631*
Wrenn, T. R., 607*; 652*
Wunder, W. W., 616*
Wyk, P. J. van, 590*

Yates, J. F., 143[S]
Yazman, J. A., 652*
Yoder, R. D., 650*
York, J. O., 142[S]

YOUNG, C. W., 616*; 646*; 894; 1245
YOUNG, J. W., 608*; 689; 1189
YOUNGQUIST, R. S., 625*
YU, Y., 619*
YUNGBLUT, D. H., 630*; 643*
ZAUGG, N. L., 1211
ZIKAKIS, J. P., 405

SUBJECT INDEX OF PAPERS PUBLISHED IN VOLUME 57 OF THE JOURNAL OF DAIRY SCIENCE AND OF ABSTRACTS PRESENTED AT THE ANNUAL* MEETING AND THE SOUTHERN DIVISIONAL MEETING[S] OF THE AMERICAN DAIRY SCIENCE ASSOCIATION

AMERICAN DAIRY SCIENCE ASSOCIATION
annual meeting, 1097
annual meeting invitation, 147
awards program, 1099
call for papers, 8;146;268;1286
directors meeting, 1110
journal status, 156
proposed bylaws revision, 655
nominations for officers, 493
officers, committees, 1118
presidential address, 1095
proposed amended bylaws of production division, 658
program 69th annual meeting, 499

AMINO ACIDS
abomasum infusion, 632*
cheese flavor, 597*
hydroxy analog; 624*; 695*
limiting, identity, 1009

ANTIBIOTICS
dairy herd use, 944
oxytetracycline in uterus, 612*
semen fertility, 1211
uterine infusion, 612*

AYRSHIRE BREED
AI vs. non-AI, 562
production, 563
casein polymorphism, 1174
controlled environment, 304
heritibility of type, 1271
free zone cooling, 609*
production, 113
AI, natural, 113
reproductive efficiency, 220; 232
crossbreds, purebreds, 220; 232
disorders, 232
heterosis, 231
interactions, 227
sire evaluation, 95; 245; 972
progeny, 1235
summer confinement, 609*

BACTERIOPHAGE
lysin produced, 580*
S. thermophilus, Lactobacillus, S. lactis, associative growth, 581*

BLOOD
ammonia, growth, 632*
calves, glucose, fructose, 1196
carnitine, ketosis, 672
juglar, nonesterified fat, 1386
mineralized water, 608*

BLOAT
literature review, 753

BLUE CHEESE
lactones, 597*
microbial lipases, 597*
ultrafiltration process, 596*

BRAZILIAN CHEESE
fatty acids, ripening, 596*

BROWN SWISS BREED
AI vs. non-AI, 562
casein polymorphism, 1174
controlled environment, 304
crossbred records, 1390
heritibility of type, 1271
parturient paresis, 606*
production, 113
AI, natural, 113
reproductive efficiency, 220; 232
crossbreds, purebreds, 220; 232
interactions, 227
sire evaluation, 951; 972; 245
progeny, 1235

BUFFALO CATTLE
rumen fluid, forage digestibility, 1201

BUTTER
fatty acids, flavor
unsaturated, 585*
melting characteristics, 585*
shelf-life reduction, 849

CALVES
all-whey milk replacers, 567
alpha-glucose polymers, 1189
blood glucose, fructose, 1196
serum protein, 1384
carbohydrate-free diet, 420; 421
colostrum fermentation, 642*
composition, 643*
dry matter intake, 320
health, 321
protein, 321
serum protein, 642*
crossbred birth weights, 323
comparisons, 325
diarrhea, growth, 642*
digesta flow, 1191
ensiling potato feed, 620*
immunoglobulins, mortality, 641*
immunization via colostrum, 641*
intake, growth, roughage, 641*
intestinal inoculum, 133[S]
lactation induction, 344
casein variants phenotyping, 345
Mn-54 distribution, 624*
methionine needs, 640*
responses, 641*
mortality, 576
management, 577
once-a-day vs. twice feeding, 651*
parathyroid location, 1263
phlorizin, glucose kinetics, 689
protein-to-energy, 1381
amounts, sources, 650*
fiber, 633*
growth, 1383
needs, 651*
pelleted, 651*
protected, 650*
ration palatability model, 482
retained placentas, birth weight, 725
sire progeny evaluation, 1235
skim milk, quality, 850*
soybean value, 651*
trypsin inhibitor, 650*
starter protein sources, 428
thyrotropins, body weight, 607*
toxic fescue factor, 1385
ethanol infusion, 186
triticale in starters, 144[S]
tropical grass hay, 652*
urea, rapeseed protein, 681*
whey blocks, 652*
whey starter, 430; 433

CASEINS
alpha$_{s1}$-A micelles, 394
light spectra, 396
ultracentrifugate, 395
voluminosity, 396
alpha$_{s1}$- preparation, 341
absorbance, 343
electrophoretic patterns, 342
alpha, beta fortified, 992; 994
alpha, beta, kappa gene frequencies, 406
Hardy-Weinberg tests, 1445
diet, 61
dough consistency, 592*

enzyme activities, 11
fractions composition, 1306
gamma-preparation, 145
sensitivity, 599*
human milk, 1159
hydration, 387; 391
heat of fusion, 391
micelle coagulation, 387
water binding, 391
lactose interaction, 602*
kappa-beta-lactoglobulin system, 1302
kappa stability, 599*
mastitis changes, 15; 551
molecular weights, 11; 12; 13
polymorphism stability, 1170
synthetic milk system, 595*
ultrafiltration, 488
variant phenotyping, 345
CANADIAN CHEDDAR CHEESE
cultures, bitterness, 598*
yield with four enzymes, 598*
CHAROLAIS BREED
periparturient, estradiol, 1090
CHEDDAR CHEESE
amine isolation, 1084
brine soluble protein, 541
casein N, 542
densitometer plots, 542
electrophoretic patterns, 542
cheese whey nonprotein, 583*
enzyme heat stability, 590*
fermented gas analysis, 485
fruity flavor, 598*; 1432
acceleration, 860
fat type, 1137
hydrolyzed lactose milks, 598*
lactic esterase, 535
lactose in whey powders, 788; 791
lyophilized cultures, 165; 168
storage, 169
treatment, 167
Mucor rennet lipase, 898
nutrient partition, 730
pepsin use, 590*
trace constituents, 1083
ultrafiltration, 488
volatile fatty acids, 598*
whey beverages, 849
protein fractionation, 659
CHOCOLATE MILK
ascorbic acid added, 594*
CLEANING-IN-PLACE
detergent conductance, 999
monitored solids, 998
rinsings diversion, 593*
solutions regeneration, 593*
COLOSTRUM
antibiotics, 643*
feeding serum proteins, 642*
fermented, diarrhea, growth, 642*
composition, 643*
comparisons, 642*
immunization, 641*
sour, milk replacer, 642*
COTTAGE CHEESE
enzyme heat stability, 590*
fermentation gas analysis, 485
hydrolyzed lactose, 584*
lactose in whey powders, 788
lyophilized cultures, 165; 169
mineral content, 595*
predicting yields, 593*
temperature monitoring, 595*
whey beverages, 849
fractionations, 659
gel filtration, 661
nutritional value, 662
pollution, 584*
protein denatured, 1152
COW BEHAVIOR
herdmate encounters, 1498
milk leukocytes, 1500
space reduction, 1498
CREAM
carregeenan, 586
selenium, 587*
sterilized, nonprotein N, 1503
CREAM CHEESE
ultrafiltration, 598*
CULTURED MILK
acetoin by *L. citrovorum*, 1425
beta-galactosidase, 592*
hydrolyzed lactose, 584*
lactic esterases, 535
S. lactis growth, 797

DAIRY CATTLE
AI, non-AI, 113; 114
alfalfa wafers, 198
concentrates, 199
production vs. feed, 200
weights, 200
birth weights, gestation, 235
management, season, 236; 237
bloat review, 753
blood glucose, fructose, 1196
branding methods, 140[8]
Canada records, 100
carnitine, 671
complete feeds, 1371
conformation traits, 1267; 1278; 1282
corn, barley energy, 451
coumaphos in feed, 723
dominant animals, 1217
dry period feeding, 139[8]
environment, conception, 476
traits, 1221; 1222
fertility, 212
surgical insemination, 216
fetus crown rump, 346
feeding behavior, 1216
four N sources, 633*
free-stall utilization, 1215
freezing spermatozoa, 1287
genetic gain, AI, 251
glucose kinetics, 608*
grain intake variable, 463
hereditary syndactyly, 1401
high energy rations, 459
hygiene, frozen semen, 707; 710
intrasire, intracow regressions, 241
biases, 243
kymograph milking rates, 1357
maturity of cows, 328
changes, 330
mammary membranes, 187
methionine, grazing, 132[8]
mineralized water, 608*
over-feeding, over-eating, 139[8]
parathyroid location, 1263
pelleted corn-urea, 135[8]
polychlorinated biphenyls, 816
predicting production, 611*
prepartum Ca deficiency, 1186
protein amount, quality, 135[8]
ration palatability, 482
social status, 629*
silage with ammonia, 263
sire evaluation, 245
merit estimators, 1229
son sampling, 894
thyroid status, 193
digestive tract fill, 194
whey-treated alfalfa, 434
DAIRY FARMS
expansion planning, 609*
farm model, 609*
feeding, management, 618*
harvesting feed, 620*
stream pollution, 260
waste on land, 910*
working agreements, 609*
successful, 610*
DAIRY HERD
behavior, production, isolation, 1497
calf mortality, 576
dairy ration program, 611*
DHI value, 1410
genetic evaluation, 1076
management factors, 140[8]
size, 361
milking systems, 369
progeny tests, 1076
predicting production, 611*
DAIRY HERD IMPROVEMENT ASSOCIATION
branding, 140[8]
computerized rations, 611*
dairy production estimates, 648*

dairymen quit, 638*
economics, AI progeny, 617*; 1245; 1420
freezing spermatozoa, 1287
genetic trend estimators, 1067
Holstein traits, 648*
improved accuracy, test interval, 648*
management factors, 140[8]
maturity of cows, 328
production, 383
test sampling, 638*
DAIRY INDUSTRY
milk brands competition, 746
DAIRY PLANTS
processing vitamins, 739
DAIRY SPREADS
cheese-flavored, 586*
DETERGENTS
conductance, 999
monitored solids, 998
rinsings, 593*
DRUGS
chemically stimulated feeding, 308
abdominal temp, 312
carbachol injections, 878
DRY WHOLE MILK (FOAM)
casein-lactose action, 602*
iron supplement, 1256
reconstitutability, 586*
storage flavors, 1257
water soluble vitamins, 739
DRY WHOLE MILK (SPRAY)
deodorized, 1144
dispersibility, 1150
flavor volatiles, 1145
lactones, 1144
sinkability, 1150

ENVIRONMENT
climate, 361; 380
fertility, 306
controlled, 304
genotype interactions, 833
milk composition, 735
production, 141[8]; 304
physiology, 361
temp-humidity, conception, 476
tropics, 360
ENZYMES
activities, mammary gland, 27
alpha$_{s1}$-A, pepsin rennin, 341
carbohydrate-free diet, 420
disaccharidase, 424
glucose, 424
casein micelle coagulation, 387
hydration, 391
coumaphos in feed, 724
cream protease, 1500
dye-binding, 589*
fetus disaccharidases, 419
fluid bed coagulation, 590*
heat stability, 590*
immobilization of protease, 590*
lactic esterases, 1432
lactose synthesis, 719
lamb protease, 860
lipogenesis in milk, 139[8]
mammary membranes, 187
mastitis, lipases, 866
milk synthesis, 1410
Mucor pusillus protease, 591*; 898
Penicillum protease, 523; 528
pepsin, cheesemaking, 590*
phosphatase reactivation, 601*
phycomycete protease, 591*
prenatal fetuses, 419
psychrotropic proteases, 591*; 592*
S. lactis C2 protease, 580*
transferase, 189
urea use, *S. ruminantium*, 1009
EVAPORATED MILK
water soluble vitamins, 739
EXTENSION EDUCATION
evaluation approach, 972; 973

FATTY ACIDS
butter, unsaturated, 585*
diets, 607*
fasted steers, 606*
hydroxy analog, 696
lipoproteins low density, 1364
mammary oxidation, 290
mastitic milk, 867
methods evaluation, 587*
off-flavors, 587*
rumen fermentations, 803
safflower oil infusions, 1465
trans fats, 1461
FEEDERS
corn, protein utilization, 653*
whole plant, 617*
electronically activated, 628*
cow behavior, 629*
free choice, 631*
group, 358
harvest economics, 620*
high moisture, deterioration, 653*
loose-housed, 629*
magnetically activated, 628*
social status, 629*
tied continuously, 629*
walnut offal, 653*
FORAGES
ad libitum feeding, 617*
Coastal bermudagrass, + N, 135[8]
concentrate ratios, 1371
digestibility, 621*
in rumen fluid, 1202
in vitro, 1258
dye-binding protein, 589*
fermentation time, 1201; 1204
foamy bloat from legumes, 753
grain sorghum digestibility, 142[8]
gress tetany, 1085
high, 142[8]
isogenic millet, 144[8]
organic residues, 1259
silicon, 621*
toxic fescue, 1385

GENETICS
alpha, beta, kappa casein genes, 406
AI vs. non-AI, 562
production, 563
annual gains, 1251
birth weight, gestation, 235
ease, 1279
bloat susceptibility, 772
breeding program, 1249
nutrition, season-year, 236; 237
California traits program, 1283
conformation traits, 1267
correlations, 1231
cow weights, 842
crossbred calves, weights, 323
comparisons, 325
interactions, 1391
daughter yields, 615*
heritibilities, 1397
survival, 614*; 1394
economics of AI, 617*
progeny tests, 1245
environment, 957
traits, 1268
fetus crown rump, 346
first lactations, 615*
genotype-climate, 833
genetic gain in AI, 251
Guernsey trait selection, 646*; 647*
herdmate comparisons, 952; 974
differences, 1235
herd fertility, 1280
hereditary syndactyly, 1401
heifer production, 616*
heritibilities, 1223; 1270
Holstein selection changes, 646*

type traits, 647*; 648*
intracow regressions, 243
biases, 243
evaluations, 242
herds, 243
lactation F_1, 1248
terminations, 614*
line development, 616*
maturity of cows, 328
production, 330
measurements, breeding, 649*
milk composition, 730
parameters, environment, 1221
pedigree index, 956
phenotypic mastitis variations, 649*
correlations, 1224
predicted differences, 952; 975
pregnancy estimations, 347
production heritibilities, 886
traits, 714; 1404; 1488
reproductive efficiency, 220; 232
crossbreds, purebreds, 220; 232
heterosis, 231
score and traits, 1404
selection index, 954
sire evaluation; 245; 613*; 614*; 1234
models, 966; 963; 977
regions, 249
Ontario Holsteins, 613*
sire summaries, 614*; 1076
culling, 108
merit estimates, 1229
model, 955
son sampling, 894
selection intensity, 1251
progeny, 1076; 1080; 1235
standard estimates, 1232
trait correlations, 1487
trend estimators, 975; 1067; 1071

GOAT
ammonium Cl, N, minerals, 683
blood, liver metabolites, 606*
cholesterol into milk, 603*
diabetes, fed and fasted, 606*
fatty acid oxidation, 290
parathyroid location, 1263
prolactin, radioimmunoassay, 411
antibody bound, 413
secretion, 903; 910

GOUDA CHEESE
brine soluble protein, 541
densitometer plots, 542

GRANA PADANO CHEESE
amino acids, granules, spots, 1504

GRAZING REINDEER
fat protein, 1329
milk composition, 1328

GUERNSEY BREED
AI vs. non-AI, 562
production, 564
casein polymorphism, 1174
cow weights, 842
crossbred calves, weights, 323
environment controlled, 304
heritibility of type, 1271
methionine, grazing, 132^8
milk genes, 407
production, 113
AI, natural, 113
sire evaluation, 245; 951; 973
progeny, 1235

HALF-AND-HALF
sulfhydryl, disulfides, 583*

HAY
digestibility, 619*
in vitro, 1258
fescue quality, 144^8
organic residues, 1259
rumen fluid, digestibility, 1202
silage, haycrop, hay, 205

HAYLAGE
alfalfa grass, 619*
temp responses, 619*
trefoil grass, 619*
whey-treated alfalfa, 434
digestibility, 436

HAYCROP
silage, hay, haycrop, 205

HEALTH
antibiotic use, 944
oxytetracycline, 612*
antibacterial activity, 612*
bacterial sensitivity, uterus, 612*
Ca deficiency, 611*
calf diarrhea, 642*
immunization, 641*
fescue toxicity, 1585
infusions, 1366
hydroxy vitamin D, 606*
ketosis, 673
induced, 613*
mastitis control, 1341
milk fever, 933
25-Oh-D_3 treatment, 935
parturition disorders, 712
prevention, 611*
plasma corticoids, 613*
replacement losses, 140^8
teat sinuses, 613*
uterine penicillin infusion, 612*

HEIFERS
adrenocorticotrophic hormone, 356
antithelmintic treatments, 145^8
fescue hay, 144^8
free choice feeding, 631*
glucose kinetics, roughages, 619*
growth hormone, 609*
hormone-induced lactation, 296; 635*
initiation response, 297
mammary development, 298
isogenic millet, 144^8
pregnancy, thyrotropin, 607*
prolactin, thyrotropin, 607*
protein supplements, 136^8
replacement losses, 140^8
udder edema, Na, K, 472
blood sers, milk, 473
whey-fed, 1288

HEREFORD BREED
periparturient estradiol, 1090

HIGH TEMPERATURE HEATING
steam injection, 280
flavor, 281
low-fat milk, 280

HOLSTEIN-FRIESIAN BREED
abomasally infused casein, 874
AI vs. non-AI, 562
production, 563
alfalfa wafers, 198
hay 314
production, 200
alpha-glucose polymers, 1189
amino acids infused, 632*
birthweight, gestation, 235; 649*
breeding, management, 236
butyrate, glucose, lactate, 558
casein polymorphism, 1174
calf protein starters, 427
mortality, 576
castor meal, 443
concentrate responses, 811
corn, barley energy, 451
coumaphos in feed, 723
cow weights, 842
crossbred calves, weights, 323
records, 1390
dexamethasone, 1061
digesta flow, 1191
digestible energy, 621*
environment, conception, 476
traits, 1221
estrus, fertility, 91
fertility, 212
cows, heifers, 213
fetus crown rump, 346
genetics, production, type, 1483
genotype-climate, 833; 836
growth of steers, 649*
hormone, 1092
HCHO-treated soybean meal, 1021

haylage feeding, 619*
hormone-induced lactation, 296
environment, 135[S]
hydroxy analog, 695
hyperthermia, 1401
intake digestibility, 622*
line development, 616*
maturity of cows, 328
measurement groups, 649*
melengestrol, 89
metabolizable protein, 632*
milk properties, mastitis, 552
parturition disorders, 712
treatment, 606*
performance records, Canada, 100
postpartum fertility, 136[S]
production, 113
AI, natural, 113
feeding, 134[S]
predicting, 611*
progesterone, 356
protein, 869
reproductive efficiency, 220; 232
crossbred, purebreds, 220; 232
sire evaluation, 245; 951; 972; 1235
farm interactions, 133[S]
sperm production, 93
summer confinement, 609*
switching feed, 630*
thyrotropin, body weight, 607*
triticale in calf starters, 144[S]
type differences, 616*
udder edema, Na, K, 472
vital organ weight, 1056
walnut offal, 653
whey starter palatability, 431

HORMONES
ACTH, mammary gland, 37
adrenocorticotrophic hormone, 133[S]
uptake, 604*
amino acids, abomasum infusion, 632*
calcitonin, milk fever, 937
carbachol injected, 879
changes, induced lactation, 636*
conception, gonadotropin, 627*
cortisol binding protein, 605*
corticoids, induced parturition, 1061
cytology, 921
interactions, 37
insufficiency, milk synthesis, 605*
iodine secretion, 141[S]
growth, 37; 609*
lactation induced, 296; 635*; 637*; 1337; 1338
initiation response, 297
mammary development, 298
melengestrol, estradiol, 89
pentagastrin for sheep, 608*
plasma corticoids, 613*
prolactin, growth, 607*
antibody bound, 413
thyrotropin response, 609*
secretion, 900
relaxin response, 605*
review, mammary growth, 905
serum insulin, 602*
steroid control of lutein, 627*
temp-season progesterone, 137[S]
thyroid status, 141[S]; 193
digestive tract fill, 193
fecal excretions, 195
thyrotropins, weights, 607*

HUMAN MILK
colostrum, 1161
electrophoretic patterns, 1182
lactoferrin, proteins, 1159

HYDROCOLLOIDS
carregeenan additive, 585*
synthetic milk system, 594*

ICE CREAM
flavor by signal detection, 1423
panel flavor analysis, 1426
protein content, 600*

IMMUNOGLOBULINS
allergy, fall pollenosis, 637*
calf mortality, 641*
colostral globulin capsules, 637*
gamma globulin, calves, 642*
lactoferrin estimations, 1163
normal, mastitis milk, 600*

INFANT FOOD
whey proteins, 668

INSECTICIDES
coumaphos in feed, 723

INTERNATIONAL INSTITUTE
livestock production in Africa, 636*

ITALIAN CHEESE
S. thermophilus bacteriophage, 581*

JERSEY BREED
AI vs. non-AI, 562
production, 563
antithelmintic treatment, 145[S]
casein polymorphism, 1174
controlled environment, 304
hormone-induced lactation, 296
production heritibilities, 885
protected fat, 1050
reproductive efficiency, 220; 232
crossbreds, purebreds, 230; 232
silage, quality milk, 698
sire evaluation, 245; 951; 972; 1235
type heritibility, 1271
vital organ weights, 1057

JOURNAL OF DAIRY SCIENCE
instructions to authors, 148
status for 1973, 150

JUDGING CONTESTS
analysis, 1973 expo contest, 640*
expo coaches, contestants, 640*
type classification, 640*

KAOLA CHEESE
fatty acids, 1138

KAOMEL CHEESE
fatty acids, 1138

LACTALBUMIN
heat denaturation, 1135
mastitis changes, 15
radioimmunoassay, 604*
ultra-high temperature, 600*

LACTATION
abomasum displaced, ration, 928; 932
safflower oil, 1459
adrenocorticoids uptake, 604*
age adjustment, 101
calving early, 103
parity, 102
production, 103
alfalfa intake, 198
grass haylage, 619*
weight gains, 200
amino acids limited, 1009; 1020; 1028
abomasum infusions, 632*
ammonium Cl, N, minerals, 683
fermented, 635*
behavioral responses, 631*; 1499
bermudagrass silage, 143[S]
birdsfoot trefoil grass, 619*
blended silage, 143[S]
environment controlled, 306
Ca deficiency prepartum, 623*; 1184
carnitine in milk, 671
tissue metabolites, 673
casein abomasally infused, 873
coconut oil, 62
castor meal, 443

milk ricin, 448
cholesterol into milk, 603*
codliver oil protected, 1047
conditioning chamber, 631*
corn, barley energy, 451
acid-treated, high moisture, 439
silage haycrop, 618*
pellets, 617*
production, 440; 617*
cortisol binding protein, 605*
cow prolactin secretion, 903; 910
crossbred production, 1390
fat, rumen fermentations, 803
fatty acids, 63
feed complete, intake, 1374
costs, 378; 470
dry period, 139[8]
fat protected, 1052
intake variable, 463
fiber, production, 1475
forage-to-concentrate, 631*
high, 142[8]
HCHO-treated soybean meal, 1032
free zone cooling, 609*
genetic gain in AI, 251
trend estimates, 1073
genotype-climate interactions, 836
glucose kinetics, 619*
grain intake variable, 463
sorghum silage, 142[8]
grass tetany, 1085
hormone induction, 296; 635; 1337
changes, 637*
hydroxy analog, 695
induced, 344; 636*
intravenous infused amino acids, 632*
intrasire, intracow regressions, 241
biases, 243
ketosis induced, 613*
kymograph-milking rates, 1357
lauric acid, 1419
mammary cell lipids, 603*
maturity of cows, 328
Hg metabolism in tissues, 1177
methionine analog, 624*
milk composition, 62; 639*
ejection inhibition, 637*
yields, 366
milking time trends, 1359
N sources, 633*
over-feeding, over-eating, 139[8]
parturition induced, 1064
disorders, 712
performance, 304
K in diet, 625*
production, AI, natural, 113
by months, 885
estimations, 648*
placentas retained, 725
prolactin, 364
pressed, wilted alfalfa silage, 618*
protein intake, production, 813; 869; 873
percents, 633*
radiation fallout, 133[8]
radioimmunoassay lactalbumin, 604*
ration complete, 631*
high energy, 459
with, without urea, 143[8]
safflower oil, 1037
sheep lactose synthesis, 719
silage and quality milk, 700
ammonia, 263
persistency, 701
haylage or hay, 205
ProLix, 618*
sorghum concentrate, 135[8]
stage yield, 1358
stress, 355
temp-season progesterone, 137[8]
udder size, weight, 1350
vitamin D needs, 987
25-OH-D3 tissue activity, 678
milk, 681
vital organ weights, 1056
wheat-corn silage, 634*
whey concentrate, HCHO-treated, 634*
treated haylage, 434

LACTOGLOBULINS
beta-kappa-casein systems, 1302
gene frequencies, 405
fractions composition, 1306
gel ultrafiltration, 661
amino acids, 663
heat denaturation, 1152
mastitis changes, 15
ultra-high temperature, 600*

LACTOSE
alpha crystallization, 160
alcohol conversion, 1321
estimation, 786
beta-galactosidase reduction, 269
crystallization, 1315
inhibitors, 1322
hydrolysis products, 584*
moisture, alpha conversion, 1321
purification, 1317
synthesis by sheep, 720
whey hydrolysis, 583*

LIPIDS
mastitis, 866
mammary gland, 27
polar, rumen bacteria, 143[8]
safflower infusions, 1459
tissue cells, 603*

LIPOPROTEINS
low-density, fatty acids, 1364

MAMMARY GLAND
amino acids essential, 1020; 1028
adrenalectomy, 37
adrenocorticoids uptake, 604*
AMP inhibiting milk ejection, 737*
ATP, Ca, Golgi apparatus, 603*
blood sera, milk, 473
casein infusions, 1025
cell dispersion, amino acids, 604*
plus leukocytes, 1446
characteristics, production, 1353
corticoids, 38
cortisol binding protein, 605*
cytology, hormones, 917
edema, 714
endocrine tumor, 37
enzyme activities, 26
electron micrograph, 26
fatty acid composition, 28
acetate, decanoate, 292
nonesterified, 1366
oxidation, 290
Golgi development, 919
health, 616*
hormone and growth, 905
hormonal interactions, 37
lactation induction, 344
lactose synthesis, 604*
membranes, 187
composition, 27
nucleic acids, 38; 605*; 1353
nucleotides activity, 1411
neutral lipids, 27
parturition induced colostrum, 1066
phospholipid distribution, 27
potassium, 1352
prepartum epithelium, 919
protein kinase activity, 603*
rat, AMP system, 605*
sheep enzymes, 721
tissue cell lipids, 603*
lactation-induced, 1335
teat sinus measurements, 613*
udder edema, Na, K, 472
weights, production, 1351

MANAGEMENT
behavioral responses, 631*; 1497
branding methods, 140[8]

breeding, reproduction, 348
calf mortality, 576
groups, 629*
conditioning chamber, 631*
costs per cow, 373
dairy operations, 358
DHI economic value, 1410
herd factors, 140[8]
economic comparisons, 630*
estrus detection, 348
feed harvesting, 620*
freezing spermatozoa, 1287
free-stall preference, 630*
utilization, 1215
herd size, 361
intraherd production, 629*
insemination time, 353
investments, 372
labor saving milking, 373
manure, 144[8]
milk brands, 746
pregnancy, 352
switching feeds, 630

MARGARINE
melting characteristics, 585*

MARKET PROGRAMS
local brands competition, 746

MASTITIS
acid phosphatase, 1450
antibiotics for dry period, 643*; 945
California test scores, 1345
casein composition, 17
cells before dry period, 1347
dry period control, 644*; 1344
electrophoretic patterns, 16; 17
fatty acids, neutral lipids, 1168
infection before calving, 1344
intramammary infection, 643*
leukocytes, 1447
lysozyme, peroxidase, 645*
mammary cortisone infusion, 645*
milk properties, 19; 551
stability, 586*
milk reflux to gland cistern, 1494
pathogens transport, 644*
phenotypic variations, 649*
presquirting udders, 644*
S. agalactiae, 797
S. aureus infection, 645*
serum albumin, 645*; 645*
teat dip, dry therapy, 644*
whey protein distribution, 16; 600*
Wisconsin test, solids-not-fat, 639*

MEMORIALS
John A. Atwood, 386
John Harvey Bryant, 492
Howard Bowman Ellenberger, 267
Joseph C. Derbyshire, 752
Joe S. Taylor, 1135
Paul Hubert Tracy, 1134

METHODS
cell wall digestion models, 622*
Doppler ultrasonic meter, 1490
digestion markers, 622*
metabolic fecal markers, 624*
nylon bag technique, 622*
whey ultrafiltration, 1438

MICE
ova N requirements, 141[8]

MICROBIOLOGY
alanine spore germination, 1310
Bacillus germination, 132[8]; 1309
B. licheniformis, fatty acids, 582*
bacterial changes, 580*
colostrum fermented, 581*
diluents, cell counts, 127
E. coli antibiotic resistant, 946
ethylesters, 535
fermentation gas analysis, 485
foamy bloat, 765
freeze-drying cultures, 579
frozen semen, 707; 710
heat resistance, 138[8]
lactic bacteriophage, 580*
lactic esterases, 535
L. bulgaricus, cheese flavor, 597
growth, 581*
L. casei growth, 581*

MICROBIOLOGY
L. citrovorum acetoin production, 1428
Mucor miehei antimicrobial, 591*
Mucor pusillus protease, 591*; 898
optical cell counts, 593*
P. roqueforti protease, 523; 528
psychrotrophic bacterial enzymes, 580*; 1432
rumen fermentations, 807
lipids, 143[8]
S. agalactiae growth, 797
S. lactis growth, 579*; 581*
S. lactis mutant, 187
S. thermophilus, growth, 581*
S. ruminantium growth, 1009
T. viride cellulase pretreatment, 132[8]

MILK
acid phosphatase, 1450
amines, 588*
amino acids, 1020
alpha$_{s1}$-A preparation, 341
ascorbic acid added, 594*
autoxidation, 588*
California, 588*
Babcock test, 589*
bacterial counts, diluents, 127
biological oxygen demand, 138[8]
cadmium, 588*
casein micelles solvation, 387; 394; 396
mastitis, 552
polymorphism, 1170
carbonyls, 599*
carnitine, 671
cells + leukocytes, 1447
cholesterol, phospholipids, 601*; 603*
choline determination, 602*
codliver oil protected, 1047
abomasal infusions, 602*
colostrum fermented, 581*
composition, crossbreds, 1391
environment, 736
lactation, 1338
seasonal, 639
whey, 1208
Cu-induced oxidation, 599*
corn pellets, low-fat, 617*
enzymic lactose reduction, 269
fat acid degrees, 639*
coconut oil, 401
feeding, 1052
globule membrane, 399
proteins, 601*
hydrogenated oils, 157
test accuracy, 589*
fermentation acids, 804
flavor, wheat pasture, 285
acceptability, 138[8]
trimethylamine, 287
flow profiles, 3; 4
formaldehyde-treated soybeans, 1031
gas analysis, fermentations, 485
gamma-casein, 1445
gels, sulfur detection, 601*
heat resistant bacteria, 138[8]
human proteins, 1159
hydrolytic rancidity, 137[8]
Fe, P supplement, 121; 545
ketosis, 672
lactose crystallization, 160
casein interaction, 602*
estimation, 786
lead, 588*
light activated flavors, 599*
lipogenesis, 139[8]
mastitis, fatty acids, 865; 587
Hg removal, 587*
microwave pasteurization, 139[8]
Milko-tester carry-over, 130; 589*

Mojonnier test, 589*
monitored solids in detergents, 999
temperature, 592*
optical cell counting, 593*
osmometric water determination, 594*
oxidative stability, 590*
oxytocin, lipids, 1167
polychlorinated biphenyls, silage, 816
polyunsaturation increased, 652*
phosphatase reactivated, 601*
photooxidation, 594*
processing, water soluble vitamins, 739
production and concentrates, 811
environment, 141[S]
predictions, 611*
trends, 1073
whey feeding, 1208
prolactin, radioimmunoassay, 411
protein content, 600*
psychrotropic bacteria, growth, 580*
safflower oil, 1039; 1461; 1465
selenium, 587*
shelf-life, 138[S]; 586
steam injection, 280
S. agalactiae growth, 797
sulfide detection, 599
sulfur amino acids, 599
sunflower-soybeans, protected, 607*
synthetic system, 595*
ultrafiltration, 488
vitamin activity, 681
wheat pasture flavor, 654*
whey protein foaming, 600*

MILK CLOTTING
casein coagulation, hydration, 387
dye binding, 589*
enzyme heat stability, 590*
phycomycete proteases, 591*
protease immobilization, 590*
Mucor miehei, antimicrobial, 591*
Mucor pusillus protease, 591*
Mucor rennet lipase control, 898

MILK FAT
Babcock test, 589*
codliver oil, abomasum, rumen, 602*
cheese flavor, 1137
deodorized, fatty acids, 1144
depression, 652*
fat fed protected, 1052
secretion, 1419
flavor volatiles, 1144; 1147
lipoproteins, low-density, 1366
globule membrane, 399; 601*; 1449
fatty acids, phospholipids, 401
mastitis, 866
melting properties, 585*
measuring unsaturation, 156
Milko-tester carry-over, 130; 589*
Mojonnier test, 589*
monoglycerides, oxytocin, 1164
percent, fermentations, 804
safflower elaidic acid infusions, 1459
sunflower-soybeans, protected, 607*
radioactivity time curve, 1367

MILK GELS
microstructure, 594*
sulfur detection, 601*

MILKING MACHINE
Doppler ultrasonic meter, 1490
milk flow, 1490
rate, 1359
retrograde milk flow, 1484
time minimum, 1360

MILKING PARLORS
double, single exits, 610*
herd size, 369

MILK SYNTHESIS
adrenocorticoids uptake, 604*
AMP, milk ejection, 637*
ATP, Ca, Golgi apparatus, 603*
Cd-109, Hg-203 metabolism, 1178
Ca, Cu, Fe, Zn absorption, 132[S]
cell lipids, 603*
cholesterol into milk, 603*
codliver oil, fat secretion, 1046
cortisol binding protein, 605*
DNA, RNA changes, 605*
lactose synthesis, 604*; 720
nucleic acids, 605*
membranes, 26
mammary amino acids, 604*
kinase, 603*
pyrimidine pathways, 1410
radioimmunoassay, 604*
relaxin response, 605*
serum hormones, 912

MINERALS
ammonium Cl metabolism, 683
Ca mid-lactation 623*
metabolism, 623*
optimum, 933
pH, 623*
iron in rat milk, 339
K in diet, 624*
lead, cadmium in milk, 588*
Mn-54 distribution, 624*
milk Fe-59 and P-32, 549
sulfur detection, 601*
vitamin D in sera, 679

MOZZARELLA CHEESE
acidified directly, 174; 595*
flavor acceleration, 860
Hg removal, 587*
Mucor rennet lipase, 898

NONFAT DRY MILK
cystine, lysine, methionine losses, 259
instantized amino acids, 258
microstructure, 594*

NUTRITION
acidity, proteolysis in silage, 617*
adrenoceptors, 73
alfalfa + whey, 314
grass haylage, 619*
pellets, 630*
wafers, 198
all-whey replacer, 567
amino acids, abomasum infusion, 632*
ammonium Cl, N, minerals, 683
antagonists, 81
barley energy, 451
bermudagrass in silage, 143[S]
birdsfoot trefoil grass silage, 619*
birth weight, gestation, 235
blended silage, 143[S]
blood, growth, ammonia, 632
liver metabolites, 606*
butyrate, glucose, lactate metabolism, 558
calf nonprotein N, 651*
phlorizin, 689
coconut oil, 399
Ca metabolism, kinetics, 623*
deficiency, 1186
calf protein-to-energy, 181; 650*; 633*; 427
amino acids, 1384
carbohydrate-free, 420
methionine, 640*
castor meal, 443
milk ricin, 448
cation absorption, 132[S]
cholesterol in milk, 603*
Fe metabolism, 623*
choline, 602*
chopped hays, 619*
colostrum + whey, 319
protein, 642*
complete feed intake, 1374
corn silage, haycrop, hay, 205; 618*
ammonium preserved, 653*

digestibility, 453
flaked, 1508
moisture-high, 439
roughage, 1280
correlations, feed, fiber, 1480
diabetes, fasted, fed, 606*
diets, fatty acids, 607*
digestible energy variability, 621*
dry period feeding, 139[S]
fat depression, 652*
fat protected, 1052
fat soy flour, 652*
feed intake, 73; 82
practices, 731
stimulated, 308
fescue hay quality, 144[S]
fiber digestibility, 1477
forage-to-concentrate, 631*
formaldehyde-treated soybean meal, 1031
glucose kinetics, 619*; 689; 690
grain intake variable, 463
sorghum, 142[S]
group feeding, 358
growth, N metabolism in sheep, 621*
gut glucagon, concentrate feeding, 606*
hay for calves, 652*
input-output response, 631*
inspection loci, 83
intake digestibility, 622*
lauric acid, 1417
lipogenesis in steers, 606*
Mn-54 distribution, 624*
metabolic fecal N, 624*
methionine, grazing, 132[S]
milk autoxidation, 588*
mineralized water, 608*
N sources, 633*
nutrient metabolism, 732
once-daily vs. twice feeding, 651*
over-feeding, over-eating, 139[S]
pelleted corn-urea, 135[S]
polyphloretin feeding, 82
polyunsaturation, 652*
production feeding regimes, 134[S]
prostaglandins, 81
protein amount, quality, 135
calf needs, 651*
protected tallow, 650*
radiation fallout, 133[S]
rations of high energy, 549
complete, 631*
palatability model, 482
with, without urea, 143[S]
rumen fluid, forage digestibility, 1202
safflower oil, 1037
soybean trypsin inhibitor, 650*
sunflower-soybeans protected, 607*
silage-Pro-Lix, 618*
ammonia, 263
triticale silage, 142[S]
urea, rapeseed protein, 651*
urea and rumen ammonia, 631*
vitamin D_3 tissue integrity, 677
walnut offal, 653*
wheat-corn silage, 142[S]
whey consumption by cows, 1208
ammoniated, 635
calf starter, 431
protein evaluation, 665
Zn absorption, distribution, 624*

PARTURITION
abomasum displaced, grain, 930
calcium, 43
ratios, 49
clean calving room, 932
disorders, 714
induced, 1065
postpartum ration, 1375
macroglobulin, 44
milk fever control, 45; 933
phosphate, 43
sedimentation patterns, 42
serum hormones, 907
vitamin physiology, 677; 933; 985

PARMESAN CHEESE
bacterial changes, 580*

PASTURE
foamy bloat, 756
grass tetany, 1085
wheat, milk fishy flavor, 285

PASTEURIZATION
flow patterns, 3
heat exchanger, 1
microwave, 139[S]

PEDIGREE SELECTION
economics of AI, 617*
daughter milk yields, 615*
heifer milk yield, 615*
line development, 616*
production costs, 615*
sire-son estimates, 957
type differences, 616*

PHYSIOLOGY
abomasally infused casein, 869
absorption, 141[S]
safflower oil, 1459
alpha-glucose polymers, 1189
Cd-109, Hg-203 metabolism, 1179
carbachol injected, 878
blood, liver metabolites, 606*
chemically stimulated feeding, 308
diabetes, fed and fasted, 606*
diets, fatty acids, 608*
digesta flow, 1192
digestive tract fill, 193
fetus disaccharidases, 419
free-zone cooling, 609*
glucose kinetics, 608*
growth hormone, 609*
gut glucagon, 605*
iodine secretion, 141[S]
lipogenesis, fasted steers, 606*
mammary membranes, 187
mineralized water, 608*
norepinephrine injections, 826
prolactin growth, 607*
summer confinement, 609*
syndactyly measurements, 1405
thyrotropin, body weight, 608*
vitamin review, 985
vital organ weights, 1057

POTATO PRODUCTS
ensiling, feeding, 620*

PROCESSING PLANTS
monitoring temp, 592*; 595*

PROTEIN
alfalfa, dye-binding, 589*
distribution, 122
efficiency ratios, 666
iron supplement in milk, 121
metabolizable N sources, 632*; 633*
percents, 14; 633*
NaCl-soluble, 540
whey fractionation, 659
nutrition value, 665

PUERTO RICO
Holstein traits, 648*
production, pastures, 621*
tropical hay, 652*

QUALITY
fescue hay, 144[S]
milk shelf-life, 586*; 698

RABBIT
induced lactation, 921

RAT
ACTH, mammary gland, 38
castor meal, 443
cholesterol, Fe metabolite, 623*
diets, fatty acids, 607
hormonal interaction, 37
insulin, 34
mammary fatty acids, 33
DNA, RNA changes, 605*
milk iron, 339

nucleic acids, 34
prolactin, 411
whey protein evaluation, 665
Zn-65 absorption, distribution, 624*
RED SINDHI BREED
reproductive efficiency, 648*
REPRODUCTION
adrenal function, 355
anestrus detection, 350
antigen detection, 784
estrus variations, 627*
antibiotics, semen fertility, 1211
artificial insemination, 105
vs. non-AI, 562
bacterial sensitivity, uterus, 612*
bovine oviduct in estrus, 134[S]
calving, 379
computerized health system, 611*
conception, 476
gonadotropin, 627*
dexamethasone + estradiol, 636*
efficiency, 220; 232
crossbreds, purebreds, 230; 232
embryonic mortality, 136[S]
environment controlled, 304
estrus, 91
detection, 350
reporting, 626*
fertility, 91; 362
efficiency, 306
heifers, 213
insemination, 216
postpartum, 137[S]
fetus orientation, 628*
enzymes, 419
follicular fluid, 626*
freezing spermatozoa in straws, 1287
genetic optimization, 894
heat stress, 361
herd data, 611*
hygiene for frozen semen, 707
interval to first service, 628*
insemination, 361
time 353
inbreeding and production, 1225
lactation induced, 922
luteinizing hormone control, 627*
melengesterol, estradiol, 89
ova N needs, 141[S]
activity, 90
oxytetracycline for uterus, 612*
parturition induced, 1063
periparturient period, 1090
placentas retained, 725
pregnancy, 352
cells, 921
estimation, 347
thyrotropin, 607*
prepartum mammary cells, 919
production differences, 112
AI, 113
prolactin, growth, 607*
prostaglandins, 353
replacement costs, 378
semen composition, 704
freezing, 140[S]; 625*
fertility variability, 626*
seminal plasma, 704
serum hormones, 907; 910
sperm production, 93
survival, 625*
superovulation, sex control, 626*
traits, 1226
uterine involution, 90
penicillin infusion, 612*
vaginal temp, 365
vital organ weights, 1057
RICOTTA CHEESE
flavor acceleration, 860
ROQUEFORT CHEESE
brine salting, 1254
extracellular proteases, 523; 528
fermentation gas analysis, 485
flavor acceleration, 860
Mucor rennet lipase control, 898
trace constituents, 1083
RUMEN
bacteria, protozoa, 806
codliver oil, fatty acids, 1046
corn protein solubility, 652*
components, safflower feeding, 1039
fat feeding protected, 1052
fatty acids, fiber, 1480
foamy bloat, 756
fluid, fermentation, 1201
grass tetany, 1088
metabolism, butyrate, glucose, 558
polar lipids, 143[S]
postrumen infusions, 874
ureolytic *Selenomonas*, 1003
volatile fatty acids, 1417

SAHIWAL CATTLE
calving age, 1226
inbreeding, production, 1225
reproductive traits, 1226
SHEEP
adrenoceptors, feed intake, 73
antagonists, 81
bacteria, 56
blood glucose, fructose, 1196
carbachol injected, 878
dl-Isop, 71
estrus uterine contractions, 627*
fatty acids, 56; 719
cofactors, 57
feed intake, 82
growth, N metabolism, 621*
inspection loci, 83
lactose synthesis, 719
lamb protease, 860
linoleic acid, 59
LB-46, 73
mammary nucleic acids, 605*
neutron transfer, 69
norepinephrine diffusion, 826
parathyroid location, 1263
parotid secretions, 308
phenoxybenzamine, 73
pentagastrin, depressed feeding, 608*
prolactin, 411
pyridine nucleotides, 58
rumen fatty acids, 1203
serum prolactin, 910
whey metabolism, 634*
SILAGE
alfalfa + hay, 314
acidity, proteolysis, 617*
bermudagrass in corn, 143[S]
corn + barley, 1480
haycrop, 618*
urea-treated, 1511
dry matter digestibility, 617*
fermentation gas analysis, 485
formaldehyde, formic acid, 618*
grain sorghum, 142[S]
haylage response, 619*
haycrop, hay, 205
moisture, protein, 135[S]
polychlorinated biphenyls, 816
pressed, wilted alfalfa, 618*
Pro-Lix rations, 618*
quality, 698
sorghum, 136[S]
triticale dough stage, 142[S]
urea, yeast supplement, 135[S]
wheat, corn, 142[S]
whey added, 1511
SIRES
AI selection, 136[S]
economics, AI progeny, 1245
evaluation, 613
AI, 1394
correlations, 1231
daughters, 1395
estimators, 1229
merit, 814*
models, 245; 966; 968; 955
modified comparisons, 980
predicted differences, 951;

953; 975
production, 248
progeny, 1235
farm interaction, 133[8]
genetic gain in AI, 251
sampling, 894
growth hormone, 1092
hygiene, frozen semen, 707
intrasire regressions, 241
pedigree index, 961
preliminary summaries, 614*, 977
production persistency, 1393
heritibility, 1392
selection young, 105
index, 964
semen fertility, 1211
prolactin, 1092
sperm production, 93
standard estimates, 1232
reproductive capacity, 703
transmitting ability, 978
USDA methods, 977

SKIM MILK
alpha, beta caseins fortified, 992
Ca, curd tension, heat, 994
cholesterol, 601*
concentrate ultrafiltered, 488; 594*
hydroxymethyfurfural, 154
lactose, protein, 395
Hg removal, 587*
phospholipids, 601*
protein content, 600*
selenium, 587*
steam injection, 280
sulfur amino acids, 599*
ultra-high temp., 600*
whey protein fractionation, 793

STARTERS
acetoin by *L. citrovorum*, 1429
esterases, 535, 1432
freezing, 125; 579*
lyophilized cultures, 165; 582*
S. lactis C2 proteinase, 579*
S. lactis mutant, 187

STEERS
ammoniated, fermented whey, 635*
blood, growth, ammonia, 632*
chopped hay, 619*
coumaphos in feed, 723
digestibility, temp., 619*
fasted, fed, 606*
feeding loose-housed, 629*
glucose kinetics, 608*
growth, 649*
gut glucagen, 606*
silage + urea, dried whey, 634*
urea, rumen ammonia, 631*
whey-treated alfalfa, 434

STERILE CONCENTRATED MILK
ascorbic acid added, 594
5-hydroxymethylfurfural, 154

STERILE MILK
ascorbic acid added, 594*
casein-lactose interaction, 602*
phosphatase reactivation, 601*
sulfur amino acids, 599*

SWISS CHEESE
amino acids, flavor, 597*
brine-salting, 597*; 1254
L. bulgaricus, flavor, 597*
S. thermophilus baceriophage, 581*
ultrafiltration, 488
water soluble vitamin, 739

SYMPOSIA
conformation and management traits in cattle, 1267; 1278; 1282
health management, 927
hormones, milk synthesis, 900
reproduction and milking management, 348
sire evaluation, 951
U.S. dairy products, 729

TEACHING
milking technics, 638*
TV, conference telephone, 637*

UREA
rapeseed protein, 651*
treated silage, 1511
yeast supplement, 135[8]
ureolytic *Selenomonas*, 1003

VITAMINS
ascorbic acid added, 594*
choline, 602*
photo-oxidation, 594*
physiology of D, review, 985
25-OH-D_3 dosages, 677

WASHED CURD CHEESE
reduced fat, 596*

WASTE DISPOSAL
anaerobic dairy liquids, 610*
soil productivity, 610*
biological oxygen demand, 138[8]
farm pollution, 260
lagoon system, 144[8]
manure management, 144[8]

WHEY
amines, 1084
ammoniated-fermented, 635*
beverage review, 849
calf starter, 431
cattle feed, 1206
colostrum, 319
composition, 598*
concentration, 584*
concentrate whippability, 1442
nutritive value, 666
deproteinized, 851
disulfide reduction, 1156
dried for silage, 314
enzyme heat stability, 590*
fibrous protein, 137[8]
frankfurters, 585*
heat denaturation, 1152
lactose estimation, 786
metabolism in sheep, 634*
milk system, 594*
mineralized for cattle, 608*
nonprotein, 583*
pollution, 584*
protein charge, disulfide, 600*
fractionation, 659; 793
silage supplemented, 1511
supernatant, N, 1157
trace constituents, 1083
wine, 854
yogurt, 584

WHITE FULANI ZEBU CATTLE
energy, protein utilization, 620*

YOGURT
antitumor activity, 582*
cheese whey, 584*
hydrolyzed lactose, 584*

XU